

# OCTANIAL GEAR OIL SAE 85W-140 API GL-5

## Properties

OCTANIAL GEAR OIL SAE 85W-140 API GL-4 is high quality mineral automotive gear oil manufactured with modern extreme pressure additives and friction modifiers. It contains the correct dosage of limited-slip additive eliminating the need for an additional product when used in limited slip differentials. Through their mono-grade and multi-grade viscosity characteristics they meet the requirements of several automotive manufacturers for passenger cars and commercial trucks or buses.

## Features and Benefits

- Anti-shudder additive technology
- Superior thermal stability
- Longer drain intervals
- Compatible with all seal and metal types
- Minimizes inventory
- High safety margin against foaming and corrosion
- Superior protection against scoring & spalling wear
- Maintains cleanliness & reduces abrasive wear
- Very good wear protection, even under severe load conditions.

## Application

### Recommendations /Specifications

API GL-4

Meets or exceeds the quality requirements of numerous vehicle manufacturers such as IVECO, MAN, SCANIA and VOLVO for heavy vehicles rear axles and final drive units.

Typical Data	Unit	Test Method	Results
SAE Grade			85W-140
Density at 15 <sup>0</sup> C	g/cm <sup>3</sup>	ASTM D4052	0.903
Viscosity at 40 <sup>0</sup> C	mm <sup>2</sup> /s	ASTM D445	360
Viscosity at 100 <sup>0</sup> C	mm <sup>2</sup> /s	ASTM D445	27.5
Viscosity Index	-	ASTM D2270	103
Flash Point	°C	ASTM D92	230
Pour Point	°C	ASTM D97	-18

Note: the information contained herein is subject to change without notification. Typical Properties may vary slightly.

---

**Health and Safety** Based on available information, this product is not expected to produce adverse effects on health when used for the intended application and the recommendations provided in the Material Safety Data Sheet (MSDS) are followed. MSDS's are available upon request through your sales contract office, or via the Internet. This product should not be used for purposes other than its intended use. If disposing of used product, take care to protect the environment.